

FOR 260" 26122860

Archival Magazine High Density





Figure 2A

Archival Magazine High Density



Uses all drives simultaneously to store data

Data Preservation Vault with Serial ATA

Active Data Storage Array with USB 2.0




Figure 4A
100A

Uses all drives simultaneously to store data

Data Preservation Vault with USB 2.0




Figure 4B
300A

Uses only one drive at a time for monitoring or retrieving data

Archival Cartridge

IEEE 1394 Interface




Figure 5

Shock Protection for Archival Magazine





Figure 6 B

Figure 6A.

Active Data Storage Array

High Speed High Storage



Active Data Storage Array




Figure 8

Active Data Storage Array




Figure 9

108250 26122860

Shock-Insulated Transport Case




Figure 10

FOIA b 7 - D

Data Preservation Vault




Figure 11

Data Preservation Vault (top view)





Figure 12

Disk Monitoring System






Figure 14

FileMark Block Structure

Byte	Description
0-7	Ascii "FILEMARK"
8	Major Version
9	Minor Version
10	Partition Number
11	Validly Byte
	0 bit Mark Type
	1 bit Previous filemark status
	2 bit Next filemark status
	3 bit Pervious filemark is Master Record
12-15	Previous FileMark LBA
16-19	Next FileMark LBA
20-23	Block Size
24-509	Reserved
510	Two-Complement Checksum bytes (0-509)